



UNITED STATES SEPARTMENT OF COMMERCE Patent and Trademark Office

l	0.0	Some of	Address:		ONER OF PATENTS in, D.C. 20231	S AND TRADEMARKS	
	APPLICATION NUMBER FILING DATE	1	FIRST NAMED APPLICANT ATTORNEY DOCKET NO.				
	08/712-891 ₂₀₁₀ 09/12/96	CANNATA	•	• • •	R	14064.00010	
	Clare 12 of the Control of	В 5М1	/1209		EXAM	NER	
	DAVID L HENTY GRAHAM & JAMES L MALE F 801 SO FIGUEROA STREET	4TH FLOO	OR .	e 🗀	ART UNIT	PAPER NUMBER	
	LOS ANGELES CA 90017-54	134 ឯកគ. ហ្គារ៉	1944 - * .	to the DA	2506 ATÈ MAILED:	12/09/97	
	This is a communication from the examiner in charge of COMMISSIONER OF PATENTS AND TRADEMARKS	of your application	on.		· 2.23.	•	
		TICE OF AL	.LOWABII	LITY		•	
Ali cia	aims being allowable, PROSECUTION ON THE ME ously mailed), a Notice of Allowance and Issue Fee	RITS IS (OR F	REMAINS) Cl appropriate c	LOSED in the	his application. If i	not included herewith (or due course.	
Χīτ	his communication is responsive to THE AT	NENDM	ENT F	ILED "	9/5/97	<u> </u>	
X T	he allowed claim(s) is/are 2-22, 24-	28 AND	33-4	41 .		,	
□ 1	he drawings filed on	are accepts	able.				
	cknowledgement is made of a claim for foreign pric	ority under 35 L	J.S.C. § 116	9(a)-(d).		•	
	All Some Co None of the CERTIFIED co	pies of the pric	ority documer	nts have bee	n		
	received.						
	received in Application No. (Series Code/Serial	Number)	•		:	<u>:</u> * _ •	
	received in this national stage application from the International Bureau (PCT Rule 17.2(a)).						
	Cartified copies not received:						
	Acknowledgement is made of a claim for domestic p	riority under 3			•		
4.01	PORTENED STATISTICAL PERIOD FOR RESPON	SE to comply is	with the requi	rements not	ed below is set to i	EXPIRE THREE MONTHS	
FRC	M THE "DATE MAILED" of this Office action. Fallumay be obtained under the provisions of 37 CFR 1	re to timely co .136(a).	mply will rest	III IN ABAND	ONMENT OF THIS E	application. Extensions of	
	Note the attached EXAMINER'S AMENDMENT or I declaration is deficient. A SUBSTITUTE OATH OR	DECLARATIO	FORMAL AP IN IS REQUI	PLICATION RED.	, PTO-152, which o	discloses that the oath or	
×	Applicant MUST submit NEW FORMAL DRAWING					•	
×	because the originally filed drawings were declar						
	including changes required by the Notice of Draft	person's Pater	nt Drawing Re	eview, PTO-	948, attached here	to or to Paper No	
	including changes required by the proposed draw by the examiner.	ving correction	filed on			which has been approved	
F	including changes required by the attached Exa	-	⊸≒t. + 0. ment/Comme		<u>.</u>		
k	ientifying indicia such as the application number the drawings should be filed as a separate paper	er (see 37 CFR	1.84(c)) sho	ould be writ	ten on the revers o the Official Drai	s side of the drawings. Tperson.	
	Note the attached Examiner's comment regarding						
Any If a	r response to this letter should include, in the upper pplicant has received a Notice of Allowance and iss OWANCE should also be included.	right hand cor	ner the APP	LICATION N	IUMBER (SERIES	CODE/SERIAL NUMBER	
Att	achment(s)						
	Notice of References Cited, PTO-892						
0	Information Disclosure Statement(s), PTO-1449	, Paper No(s).	_4_				
	Notice of Draftsperson's Patent Drawing Review					1111	
	Notice of Informal Patent Application, PTO-152				Colwa	1/ The	
	1 Interview Summary, PTO-413				EDWARD	J. GLICK	
	★ Examiner's Amendment/Comment				PRIMAR	J. GLICK J. EXAMINER 2500	
	Examiner's Comment Regarding Requirement f	or Deposit of B	iological Mat	erial	GROUP	2500	
,		•	-				

🔀 Examiner's Statement of Reasons for Allowance 1

Serial Number: 08/712,891

Art Unit: 2506

The amendment filed September 5, 1997, has been entered.

Claims 2-22, 24-28 and 33-41 are allowed.

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

In claim 2, line 18, delete "said".

In claim 11, line 2, change "wherein means" to --wherein said means--.

In claim 16, line 4, change "for connecting" to --for selectively connecting--.

In claim 20, line 3, change "provide" to --provides--.

In claim 24, lines 19-20, change "to the stored" to --to a stored--.

In claim 36, line 3, change "microbolometer elements" to --microbolometer detector elements--.

In claim 37, line 24, change "and reference" to -- and a reference--.

Authorization for this examiner's amendment was given in a telephone interview with David L. Henty (#31,323) on December 3, 1997.

This amendment was needed to provide proper antecedent basis and to correct other minor grammatical errors.

The following is an examiner's statement of reasons for allowance: the prior art of record fails to teach or fairly suggest an infrared imaging system or focal plane array having in

Serial Number: 08/712,891

Art Unit: 2506

combination with the other required elements, the means for correcting specified by independent claim 2, 24, 33 or 37. Claims not addressed are allowable by virtue of their dependency.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Papers related to Group 2500 applications **only** may be submitted to Group 2500 by facsimile transmission. Any transmission not to be considered an official response must be clearly marked "DRAFT". The faxing of such papers must conform with the notice published in the Official Gazette, 1096 OG 30 (November 15, 1989). The Group 2500 Fax Center number is (703) 308-7723.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Edward Glick whose telephone number is (703) 308-4858.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 308-0956.

ejg/December 4, 1997

Edward J. Glick Primary Examiner Group 2500